

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CO00028

Attachment to Certificate Number: CO000282020-1

Expiration Date: 7/31/2020

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D516-07	Sulfate	8/1/2019	7/31/2020	Certified
ASTM D6888-09	Cyanide, Amenable	8/1/2019	7/31/2020	Certified
ASTM D7511-09e2	Cyanide, Total	8/1/2019	7/31/2020	Certified
EPA 160.4	Residue-volatile	8/1/2019	7/31/2020	Certified
EPA 1631E	Mercury	8/1/2019	7/31/2020	Certified
EPA 1664B	n-Hexane Extractable Material (O&G)	8/1/2019	7/31/2020	Certified
EPA 1664B (SGT-HEM)	n-Hexane Extractable Material - Silica Gel Treated (HEM-SGT)	8/1/2019	7/31/2020	Certified
EPA 180.1	Turbidity	8/1/2019	7/31/2020	Certified
EPA 200.7	Aluminum	8/1/2019	7/31/2020	Certified
EPA 200.7	Antimony	8/1/2019	7/31/2020	Certified
EPA 200.7	Arsenic	8/1/2019	7/31/2020	Certified
EPA 200.7	Barium	8/1/2019	7/31/2020	Certified
EPA 200.7	Beryllium	8/1/2019	7/31/2020	Certified
EPA 200.7	Boron	8/1/2019	7/31/2020	Certified
EPA 200.7	Cadmium	8/1/2019	7/31/2020	Certified
EPA 200.7	Calcium	8/1/2019	7/31/2020	Certified
EPA 200.7	Calcium hardness as CaCO3	8/1/2019	7/31/2020	Certified
EPA 200.7	Chromium	8/1/2019	7/31/2020	Certified
EPA 200.7	Cobalt	8/1/2019	7/31/2020	Certified
EPA 200.7	Copper	8/1/2019	7/31/2020	Certified
EPA 200.7	Iron	8/1/2019	7/31/2020	Certified
EPA 200.7	Lead	8/1/2019	7/31/2020	Certified
EPA 200.7	Lithium	8/1/2019	7/31/2020	Certified
EPA 200.7	Magnesium	8/1/2019	7/31/2020	Certified
EPA 200.7	Manganese	8/1/2019	7/31/2020	Certified
EPA 200.7	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 200.7	Nickel	8/1/2019	7/31/2020	Certified
EPA 200.7	Phosphorus, total	8/1/2019	7/31/2020	Certified
EPA 200.7	Potassium	8/1/2019	7/31/2020	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CO00028

Attachment to Certificate Number: CO000282020-1

Expiration Date: 7/31/2020

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 200.7	Selenium	8/1/2019	7/31/2020	Certified
EPA 200.7	Silica as SiO2	8/1/2019	7/31/2020	Certified
EPA 200.7	Silver	8/1/2019	7/31/2020	Certified
EPA 200.7	Sodium	8/1/2019	7/31/2020	Certified
EPA 200.7	Strontium	8/1/2019	7/31/2020	Certified
EPA 200.7	Tin	8/1/2019	7/31/2020	Certified
EPA 200.7	Titanium	8/1/2019	7/31/2020	Certified
EPA 200.7	Vanadium	8/1/2019	7/31/2020	Certified
EPA 200.7	Zinc	8/1/2019	7/31/2020	Certified
EPA 200.8	Aluminum	8/1/2019	7/31/2020	Certified
EPA 200.8	Antimony	8/1/2019	7/31/2020	Certified
EPA 200.8	Arsenic	8/1/2019	7/31/2020	Certified
EPA 200.8	Barium	8/1/2019	7/31/2020	Certified
EPA 200.8	Beryllium	8/1/2019	7/31/2020	Certified
EPA 200.8	Cadmium	8/1/2019	7/31/2020	Certified
EPA 200.8	Chromium	8/1/2019	7/31/2020	Certified
EPA 200.8	Cobalt	8/1/2019	7/31/2020	Certified
EPA 200.8	Copper	8/1/2019	7/31/2020	Certified
EPA 200.8	Lead	8/1/2019	7/31/2020	Certified
EPA 200.8	Manganese	8/1/2019	7/31/2020	Certified
EPA 200.8	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 200.8	Nickel	8/1/2019	7/31/2020	Certified
EPA 200.8	Selenium	8/1/2019	7/31/2020	Certified
EPA 200.8	Silver	8/1/2019	7/31/2020	Certified
EPA 200.8	Thallium	8/1/2019	7/31/2020	Certified
EPA 200.8	Uranium Total Mass	8/1/2019	7/31/2020	Certified
EPA 200.8	Vanadium	8/1/2019	7/31/2020	Certified
EPA 200.8	Zinc	8/1/2019	7/31/2020	Certified
EPA 245.1	Mercury	8/1/2019	7/31/2020	Certified
EPA 300.0	Bromide	8/1/2019	7/31/2020	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CO00028

Attachment to Certificate Number: CO000282020-1

Expiration Date: 7/31/2020

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 300.0	Chloride	8/1/2019	7/31/2020	Certified
EPA 300.0	Fluoride	8/1/2019	7/31/2020	Certified
EPA 300.0	Sulfate	8/1/2019	7/31/2020	Certified
EPA 335.4	Cyanide, Total	8/1/2019	7/31/2020	Certified
EPA 350.1	Ammonia as N	8/1/2019	7/31/2020	Certified
EPA 351.2	Kjeldahl nitrogen - total	8/1/2019	7/31/2020	Certified
EPA 353.2	Nitrate as N	8/1/2019	7/31/2020	Certified
EPA 353.2	Nitrate-nitrite	8/1/2019	7/31/2020	Certified
EPA 353.2	Nitrite as N	8/1/2019	7/31/2020	Certified
EPA 365.1	Orthophosphate as P	8/1/2019	7/31/2020	Certified
EPA 365.1	Phosphorus, total	8/1/2019	7/31/2020	Certified
EPA 410.4	Chemical oxygen demand	8/1/2019	7/31/2020	Certified
EPA 420.4	Total phenolics	8/1/2019	7/31/2020	Certified
SM 2310 B	Acidity, as CaCO ₃	8/1/2019	7/31/2020	Certified
SM 2320 B	Alkalinity as CaCO ₃	8/1/2019	7/31/2020	Certified
SM 2340 B	Hardness by calculation	8/1/2019	7/31/2020	Certified
SM 2510 B	Conductivity	8/1/2019	7/31/2020	Certified
SM 2540 B	Residue-total, dissolved and suspended	8/1/2019	7/31/2020	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2019	7/31/2020	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2019	7/31/2020	Certified
SM 2540 F	Residue-settleable	8/1/2019	7/31/2020	Certified
SM 3114 B	Selenium	8/1/2019	7/31/2020	Certified
SM 3500-Cr B	Chromium VI	8/1/2019	7/31/2020	Certified
SM 4500-Cl ⁻ E	Chloride	8/1/2019	7/31/2020	Certified
SM 4500-CN ⁻ C,E	Cyanide, Total	8/1/2019	7/31/2020	Certified
SM 4500-CN ⁻ I,E	Cyanide, WAD	8/1/2019	7/31/2020	Certified
SM 4500-F ⁻ C	Fluoride	8/1/2019	7/31/2020	Certified
SM 4500-H ⁺ B	pH	8/1/2019	7/31/2020	Certified
SM 4500-S ₂ ⁻ D	Sulfide	8/1/2019	7/31/2020	Certified
SM 5210 B	Biochemical oxygen demand	8/1/2019	7/31/2020	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282020-1**

Expiration Date: **7/31/2020**

ACZ Labs, Inc.


2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
SM 5210 B	Carbonaceous BOD, CBOD	8/1/2019	7/31/2020	Certified
SM 5310 B	Total Organic Carbon	8/1/2019	7/31/2020	Certified

Discipline: Radiochemistry

EPA 900.0 Modified	Gross-alpha	8/1/2019	7/31/2020	Certified
EPA 900.0 Modified	Gross-beta	8/1/2019	7/31/2020	Certified
EPA 903.0 Modified	Radium Total Alphas	8/1/2019	7/31/2020	Certified
EPA 903.0 Modified	Radium-226	8/1/2019	7/31/2020	Certified
EPA 903.1 Modified	Radium-226	8/1/2019	7/31/2020	Certified
EPA 904.0 Modified	Radium-228	8/1/2019	7/31/2020	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282020-1**


Expiration Date: **7/31/2020**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **Mining (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D1498	Redox Potential (ORP)	8/1/2019	7/31/2020	Certified
EPA 200.7 minus SM 3500-Fe B (4c)	Iron-(III) (Ferric Iron)	8/1/2019	7/31/2020	Certified
SM 3500-Fe B 4 (c)	Iron-(II) (Ferrous Iron)	8/1/2019	7/31/2020	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CO00028

Attachment to Certificate Number: CO000282020-1

Expiration Date: 7/31/2020

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: *Mining (Solid & Waste Materials)*

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D5744-13	Weathering Products of Solid Materials	8/1/2019	7/31/2020	Nevada Approved
ASTM D7572-11	Cyanide Extraction Fluid from Soils and Mine Rock	8/1/2019	7/31/2020	Nevada Approved
ASTM E2242-13	MWMP Fluid (WITHOUT bottle roll option)	8/1/2019	7/31/2020	Nevada Approved
ASTM E2242-13 Appendix X1.2	MWMP Fluid (FROM bottle roll option_Non Percolating Material)	8/1/2019	7/31/2020	Nevada Approved
ASTM E2242-13 Appendix X1.3	MWMP Fluid (FROM bottle roll option_Fine Grained Material)	8/1/2019	7/31/2020	Nevada Approved
EPA 600/2-78-054, section 3.2.2_NV Modified	Paste pH	8/1/2019	7/31/2020	Certified
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (after oxidation_hydrogen peroxide)	8/1/2019	7/31/2020	Nevada Approved
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (without oxidation)	8/1/2019	7/31/2020	Nevada Approved
EPA 600/2-78-054, section 3.2.4_NV Modified	Total Sulfur (High Temp. Combustion Method)	8/1/2019	7/31/2020	Certified
EPA 600/2-78-054, section 3.2.6_NV Modified	HCl Extractable Sulfur	8/1/2019	7/31/2020	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	HNO3 Extractable Sulfur	8/1/2019	7/31/2020	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	Hot Water Extractable Sulfur	8/1/2019	7/31/2020	Nevada Approved
Warwick-Stuart-Roger, 7th ICARD	Net Acid Generation (NAG)	8/1/2019	7/31/2020	Nevada Approved

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CO00028

Attachment to Certificate Number: CO000282020-1

Expiration Date: 7/31/2020

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 6010	Aluminum	8/1/2019	7/31/2020	Certified
EPA 6010	Antimony	8/1/2019	7/31/2020	Certified
EPA 6010	Arsenic	8/1/2019	7/31/2020	Certified
EPA 6010	Barium	8/1/2019	7/31/2020	Certified
EPA 6010	Beryllium	8/1/2019	7/31/2020	Certified
EPA 6010	Boron	8/1/2019	7/31/2020	Certified
EPA 6010	Cadmium	8/1/2019	7/31/2020	Certified
EPA 6010	Calcium	8/1/2019	7/31/2020	Certified
EPA 6010	Chromium	8/1/2019	7/31/2020	Certified
EPA 6010	Cobalt	8/1/2019	7/31/2020	Certified
EPA 6010	Copper	8/1/2019	7/31/2020	Certified
EPA 6010	Iron	8/1/2019	7/31/2020	Certified
EPA 6010	Lead	8/1/2019	7/31/2020	Certified
EPA 6010	Lithium	8/1/2019	7/31/2020	Certified
EPA 6010	Magnesium	8/1/2019	7/31/2020	Certified
EPA 6010	Manganese	8/1/2019	7/31/2020	Certified
EPA 6010	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 6010	Nickel	8/1/2019	7/31/2020	Certified
EPA 6010	Phosphorus, total	8/1/2019	7/31/2020	Certified
EPA 6010	Potassium	8/1/2019	7/31/2020	Certified
EPA 6010	Selenium	8/1/2019	7/31/2020	Certified
EPA 6010	Silica as SiO ₂	8/1/2019	7/31/2020	Certified
EPA 6010	Silver	8/1/2019	7/31/2020	Certified
EPA 6010	Sodium	8/1/2019	7/31/2020	Certified
EPA 6010	Strontium	8/1/2019	7/31/2020	Certified
EPA 6010	Tin	8/1/2019	7/31/2020	Certified
EPA 6010	Titanium	8/1/2019	7/31/2020	Certified
EPA 6010	Vanadium	8/1/2019	7/31/2020	Certified
EPA 6010	Zinc	8/1/2019	7/31/2020	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CO00028

Attachment to Certificate Number: CO000282020-1

Expiration Date: 7/31/2020

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 6020	Aluminum	8/1/2019	7/31/2020	Certified
EPA 6020	Antimony	8/1/2019	7/31/2020	Certified
EPA 6020	Arsenic	8/1/2019	7/31/2020	Certified
EPA 6020	Barium	8/1/2019	7/31/2020	Certified
EPA 6020	Beryllium	8/1/2019	7/31/2020	Certified
EPA 6020	Cadmium	8/1/2019	7/31/2020	Certified
EPA 6020	Chromium	8/1/2019	7/31/2020	Certified
EPA 6020	Cobalt	8/1/2019	7/31/2020	Certified
EPA 6020	Copper	8/1/2019	7/31/2020	Certified
EPA 6020	Lead	8/1/2019	7/31/2020	Certified
EPA 6020	Manganese	8/1/2019	7/31/2020	Certified
EPA 6020	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 6020	Nickel	8/1/2019	7/31/2020	Certified
EPA 6020	Selenium	8/1/2019	7/31/2020	Certified
EPA 6020	Silver	8/1/2019	7/31/2020	Certified
EPA 6020	Thallium	8/1/2019	7/31/2020	Certified
EPA 6020	Thorium	8/1/2019	7/31/2020	Certified
EPA 6020	Uranium Total Mass	8/1/2019	7/31/2020	Certified
EPA 6020	Vanadium	8/1/2019	7/31/2020	Certified
EPA 6020	Zinc	8/1/2019	7/31/2020	Certified
EPA 7196	Chromium VI	8/1/2019	7/31/2020	Certified
EPA 7470	Mercury	8/1/2019	7/31/2020	Certified
EPA 9012	Cyanide, Total	8/1/2019	7/31/2020	Certified
EPA 9070A	n-Hexane Extractable Material (O&G)	8/1/2019	7/31/2020	Certified

Discipline: Radiochemistry

EPA 9310	Gross-alpha	8/1/2019	7/31/2020	Certified
EPA 9310	Gross-beta	8/1/2019	7/31/2020	Certified
EPA 9315	Radium Total Alphas	8/1/2019	7/31/2020	Certified
EPA 9320	Radium-228	8/1/2019	7/31/2020	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CO00028

Attachment to Certificate Number: CO000282020-1

Expiration Date: 7/31/2020

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 1010	Flashpoint	8/1/2019	7/31/2020	Certified
EPA 1311-Metals	TCLP extracted Metals	8/1/2019	7/31/2020	Certified
EPA 1311-Pest	TCLP extracted Pesticides	8/1/2019	7/31/2020	Certified
EPA 1311-SOCs	TCLP extracted SOCs	8/1/2019	7/31/2020	Certified
EPA 1311-VOCs	TCLP extracted VOCs	8/1/2019	7/31/2020	Certified
EPA 1312-Metals	SPLP extracted Metals	8/1/2019	7/31/2020	Certified
EPA 1312-SOCs	SPLP extracted SOCs	8/1/2019	7/31/2020	Certified
EPA 1312-VOCs	SPLP extracted VOCs	8/1/2019	7/31/2020	Certified
EPA 3050	Acid digest for metals	8/1/2019	7/31/2020	Certified
EPA 3051	Acid digest for metals	8/1/2019	7/31/2020	Certified
EPA 3052	Acid digest for metals	8/1/2019	7/31/2020	Certified
EPA 6010	Aluminum	8/1/2019	7/31/2020	Certified
EPA 6010	Antimony	8/1/2019	7/31/2020	Certified
EPA 6010	Arsenic	8/1/2019	7/31/2020	Certified
EPA 6010	Barium	8/1/2019	7/31/2020	Certified
EPA 6010	Beryllium	8/1/2019	7/31/2020	Certified
EPA 6010	Boron	8/1/2019	7/31/2020	Certified
EPA 6010	Cadmium	8/1/2019	7/31/2020	Certified
EPA 6010	Calcium	8/1/2019	7/31/2020	Certified
EPA 6010	Chromium	8/1/2019	7/31/2020	Certified
EPA 6010	Cobalt	8/1/2019	7/31/2020	Certified
EPA 6010	Copper	8/1/2019	7/31/2020	Certified
EPA 6010	Iron	8/1/2019	7/31/2020	Certified
EPA 6010	Lead	8/1/2019	7/31/2020	Certified
EPA 6010	Magnesium	8/1/2019	7/31/2020	Certified
EPA 6010	Manganese	8/1/2019	7/31/2020	Certified
EPA 6010	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 6010	Nickel	8/1/2019	7/31/2020	Certified
EPA 6010	Phosphorus, total	8/1/2019	7/31/2020	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282020-1**

Expiration Date: **7/31/2020**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 6010	Potassium	8/1/2019	7/31/2020	Certified
EPA 6010	Selenium	8/1/2019	7/31/2020	Certified
EPA 6010	Silica as SiO2	8/1/2019	7/31/2020	Certified
EPA 6010	Silver	8/1/2019	7/31/2020	Certified
EPA 6010	Sodium	8/1/2019	7/31/2020	Certified
EPA 6010	Strontium	8/1/2019	7/31/2020	Certified
EPA 6010	Thallium	8/1/2019	7/31/2020	Certified
EPA 6010	Tin	8/1/2019	7/31/2020	Certified
EPA 6010	Titanium	8/1/2019	7/31/2020	Certified
EPA 6010	Vanadium	8/1/2019	7/31/2020	Certified
EPA 6010	Zinc	8/1/2019	7/31/2020	Certified
EPA 6020	Aluminum	8/1/2019	7/31/2020	Certified
EPA 6020	Antimony	8/1/2019	7/31/2020	Certified
EPA 6020	Arsenic	8/1/2019	7/31/2020	Certified
EPA 6020	Barium	8/1/2019	7/31/2020	Certified
EPA 6020	Beryllium	8/1/2019	7/31/2020	Certified
EPA 6020	Cadmium	8/1/2019	7/31/2020	Certified
EPA 6020	Chromium	8/1/2019	7/31/2020	Certified
EPA 6020	Cobalt	8/1/2019	7/31/2020	Certified
EPA 6020	Copper	8/1/2019	7/31/2020	Certified
EPA 6020	Lead	8/1/2019	7/31/2020	Certified
EPA 6020	Manganese	8/1/2019	7/31/2020	Certified
EPA 6020	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 6020	Nickel	8/1/2019	7/31/2020	Certified
EPA 6020	Selenium	8/1/2019	7/31/2020	Certified
EPA 6020	Silver	8/1/2019	7/31/2020	Certified
EPA 6020	Thallium	8/1/2019	7/31/2020	Certified
EPA 6020	Thorium	8/1/2019	7/31/2020	Certified
EPA 6020	Uranium Total Mass	8/1/2019	7/31/2020	Certified
EPA 6020	Vanadium	8/1/2019	7/31/2020	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282020-1**


Expiration Date: **7/31/2020**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 6020	Zinc	8/1/2019	7/31/2020	Certified
EPA 7196	Chromium VI	8/1/2019	7/31/2020	Certified
EPA 7471	Mercury	8/1/2019	7/31/2020	Certified
EPA 7473	Mercury	8/1/2019	7/31/2020	Certified
EPA 9012	Cyanide, Total	8/1/2019	7/31/2020	Certified
EPA 9040C	Corrosivity (pH)	8/1/2019	7/31/2020	Certified
EPA 9045	Corrosivity (pH)	8/1/2019	7/31/2020	Certified
EPA 9071A	n-Hexane Extractable Material (O&G)	8/1/2019	7/31/2020	Certified
EPA 9071A	Oil & Grease	8/1/2019	7/31/2020	Certified
EPA 9071B	n-Hexane Extractable Material (O&G)	8/1/2019	7/31/2020	Certified
EPA 9071B	Oil & Grease	8/1/2019	7/31/2020	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282020-1**

Expiration Date: **7/31/2020**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.8	Uranium (Nat.) Activity, Calculated	8/1/2019	7/31/2020	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2019	7/31/2020	Certified
EPA 335.4	Cyanide	8/1/2019	7/31/2020	Certified
Discipline: Radiochemistry				
EPA 900.0	Gross-alpha	8/1/2019	7/31/2020	Certified
EPA 900.0	Gross-beta	8/1/2019	7/31/2020	Certified
EPA 903.0	Radium-226	8/1/2019	7/31/2020	Certified
EPA 903.1 (SC)	Radium-226	8/1/2019	7/31/2020	Certified
EPA 904.0	Radium-228	8/1/2019	7/31/2020	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.