

State of Nevada

Department of Conservation and Natural Resources
Division of Environmental Protection

Certifies that

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

*Having met the requirements of the
Nevada Administrative Code: NAC 445A*

*is hereby approved to perform the analyses as indicated on the most recently issued
parameter list which must accompany this certificate to be valid. It is the certified
laboratory's responsibility to provide their client the most current certified
parameter list. Contact LCP to verify certification status.*

Expiration Date: 7/31/2022



LaFara

Date: 2021.08.02
07:56:23 -07'00'

Digitally signed
by Donald
LaFara

Certificate Number: CO000282022-1

Donald LaFara, Program Manager, 08/02/2021

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Attachment to Certificate Number: **CO000282022-1**

Expiration Date: **7/31/2022**

Matrix: **CWA (Non Potable Water)**

Method


Analyte

Start Date

Date Expires

Status

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D516-07	Sulfate	8/1/2021	7/31/2022	Certified
ASTM D6888-09	Cyanide, Amenable	8/1/2021	7/31/2022	Certified
ASTM D7511-09e2	Cyanide, Total	8/1/2021	7/31/2022	Certified
EPA 1631E	Mercury	8/1/2021	7/31/2022	Certified
EPA 1664B	n-Hexane Extractable Material (O&G)	8/1/2021	7/31/2022	Certified
EPA 180.1	Turbidity	8/1/2021	7/31/2022	Certified
EPA 200.7	Aluminum	8/1/2021	7/31/2022	Certified
EPA 200.7	Antimony	8/1/2021	7/31/2022	Certified
EPA 200.7	Arsenic	8/1/2021	7/31/2022	Certified
EPA 200.7	Barium	8/1/2021	7/31/2022	Certified
EPA 200.7	Beryllium	8/1/2021	7/31/2022	Certified
EPA 200.7	Boron	8/1/2021	7/31/2022	Certified
EPA 200.7	Cadmium	8/1/2021	7/31/2022	Certified
EPA 200.7	Calcium	8/1/2021	7/31/2022	Certified
EPA 200.7	Calcium hardness as CaCO3	8/1/2021	7/31/2022	Certified
EPA 200.7	Chromium	8/1/2021	7/31/2022	Certified
EPA 200.7	Cobalt	8/1/2021	7/31/2022	Certified
EPA 200.7	Copper	8/1/2021	7/31/2022	Certified
EPA 200.7	Hardness by calculation	8/1/2021	7/31/2022	Certified
EPA 200.7	Iron	8/1/2021	7/31/2022	Certified
EPA 200.7	Lead	8/1/2021	7/31/2022	Certified
EPA 200.7	Lithium	8/1/2021	7/31/2022	Certified
EPA 200.7	Magnesium	8/1/2021	7/31/2022	Certified
EPA 200.7	Manganese	8/1/2021	7/31/2022	Certified
EPA 200.7	Molybdenum	8/1/2021	7/31/2022	Certified
EPA 200.7	Nickel	8/1/2021	7/31/2022	Certified
EPA 200.7	Phosphorus, total	8/1/2021	7/31/2022	Certified
EPA 200.7	Potassium	8/1/2021	7/31/2022	Certified
EPA 200.7	Selenium	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation


EPA Number: **CO00028**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Attachment to Certificate Number: **CO000282022-1**

Expiration Date: **7/31/2022**

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 200.7	Silica as SiO2	8/1/2021	7/31/2022	Certified
EPA 200.7	Silver	8/1/2021	7/31/2022	Certified
EPA 200.7	Sodium	8/1/2021	7/31/2022	Certified
EPA 200.7	Strontium	8/1/2021	7/31/2022	Certified
EPA 200.7	Tin	8/1/2021	7/31/2022	Certified
EPA 200.7	Titanium	8/1/2021	7/31/2022	Certified
EPA 200.7	Vanadium	8/1/2021	7/31/2022	Certified
EPA 200.7	Zinc	8/1/2021	7/31/2022	Certified
EPA 200.8	Aluminum	8/1/2021	7/31/2022	Certified
EPA 200.8	Antimony	8/1/2021	7/31/2022	Certified
EPA 200.8	Arsenic	8/1/2021	7/31/2022	Certified
EPA 200.8	Barium	8/1/2021	7/31/2022	Certified
EPA 200.8	Beryllium	8/1/2021	7/31/2022	Certified
EPA 200.8	Cadmium	8/1/2021	7/31/2022	Certified
EPA 200.8	Chromium	8/1/2021	7/31/2022	Certified
EPA 200.8	Cobalt	8/1/2021	7/31/2022	Certified
EPA 200.8	Copper	8/1/2021	7/31/2022	Certified
EPA 200.8	Lead	8/1/2021	7/31/2022	Certified
EPA 200.8	Manganese	8/1/2021	7/31/2022	Certified
EPA 200.8	Molybdenum	8/1/2021	7/31/2022	Certified
EPA 200.8	Nickel	8/1/2021	7/31/2022	Certified
EPA 200.8	Selenium	8/1/2021	7/31/2022	Certified
EPA 200.8	Silver	8/1/2021	7/31/2022	Certified
EPA 200.8	Thallium	8/1/2021	7/31/2022	Certified
EPA 200.8	Uranium Total Mass	8/1/2021	7/31/2022	Certified
EPA 200.8	Vanadium	8/1/2021	7/31/2022	Certified
EPA 200.8	Zinc	8/1/2021	7/31/2022	Certified
EPA 245.1	Mercury	8/1/2021	7/31/2022	Certified
EPA 300.0	Bromide	8/1/2021	7/31/2022	Certified
EPA 300.0	Chloride	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation


EPA Number: **CO00028**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Attachment to Certificate Number: **CO000282022-1**

Expiration Date: **7/31/2022**

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 300.0	Fluoride	8/1/2021	7/31/2022	Certified
EPA 300.0	Sulfate	8/1/2021	7/31/2022	Certified
EPA 335.4	Cyanide, Total	8/1/2021	7/31/2022	Certified
EPA 350.1	Ammonia as N	8/1/2021	7/31/2022	Certified
EPA 351.2	Kjeldahl nitrogen - total	8/1/2021	7/31/2022	Certified
EPA 353.2	Nitrate as N	8/1/2021	7/31/2022	Certified
EPA 353.2	Nitrate-nitrite	8/1/2021	7/31/2022	Certified
EPA 353.2	Nitrite as N	8/1/2021	7/31/2022	Certified
EPA 365.1	Orthophosphate as P	8/1/2021	7/31/2022	Certified
EPA 365.1	Phosphorus, total	8/1/2021	7/31/2022	Certified
EPA 410.4	Chemical oxygen demand	8/1/2021	7/31/2022	Certified
EPA 420.4	Total phenolics	8/1/2021	7/31/2022	Certified
OIA 1677	Cyanide, Free	8/1/2021	7/31/2022	Certified
SM 2310 B	Acidity, as CaCO3	8/1/2021	7/31/2022	Certified
SM 2320 B	Alkalinity as CaCO3	8/1/2021	7/31/2022	Certified
SM 2340 B	Hardness by calculation	8/1/2021	7/31/2022	Certified
SM 2510 B	Conductivity	8/1/2021	7/31/2022	Certified
SM 2540 B	Residue-total, dissolved and suspended	8/1/2021	7/31/2022	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2021	7/31/2022	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2021	7/31/2022	Certified
SM 2540 F	Residue-settleable	8/1/2021	7/31/2022	Certified
SM 3114 B	Selenium	8/1/2021	7/31/2022	Certified
SM 3500-Cr B	Chromium VI	8/1/2021	7/31/2022	Certified
SM 4500-Cr E	Chloride	8/1/2021	7/31/2022	Certified
SM 4500-CN C,E	Cyanide, Total	8/1/2021	7/31/2022	Certified
SM 4500-CN I,E	Cyanide, WAD	8/1/2021	7/31/2022	Certified
SM 4500-F C	Fluoride	8/1/2021	7/31/2022	Certified
SM 4500-H+ B	pH	8/1/2021	7/31/2022	Certified
SM 4500-S2 D	Sulfide	8/1/2021	7/31/2022	Certified
SM 5210 B	Biochemical oxygen demand	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.


State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028** Attachment to Certificate Number: **CO000282022-1** Expiration Date: **7/31/2022**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
SM 5210 B	Carbonaceous BOD, CBOD	8/1/2021	7/31/2022	Certified
SM 5310 B	Total Organic Carbon	8/1/2021	7/31/2022	Certified

Discipline: Radiochemistry	Analyte	Start Date	Date Expires	Status
EPA 900.0 Modified	Gross-alpha	8/1/2021	7/31/2022	Certified
EPA 900.0 Modified	Gross-beta	8/1/2021	7/31/2022	Certified
EPA 903.0 Modified	Radium Total Alphas	8/1/2021	7/31/2022	Certified
EPA 903.0 Modified	Radium-226	8/1/2021	7/31/2022	Certified
EPA 903.1 Modified	Radium-226	8/1/2021	7/31/2022	Certified
EPA 904.0 Modified	Radium-228	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028** Attachment to Certificate Number: **CO000282022-1** Expiration Date: **7/31/2022**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **Mining (Non Potable Water)**

Method

Analyte


Start Date

Date Expires Status

Discipline: Chemistry

ASTM D1498 Redox Potential (ORP)
 EPA 200.7 minus SM 3500-Fe B (4c) Iron-(II) (Ferric Iron)
 SM 3500-Fe B 4 (c) Iron-(I) (Ferrous Iron)

8/1/2021 7/31/2022 Certified
 8/1/2021 7/31/2022 Certified
 8/1/2021 7/31/2022 Certified




Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028** Attachment to Certificate Number: **CO000282022-1** Expiration Date: **7/31/2022**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: Mining (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D5744-13	Weathering Products of Solid Materials	8/1/2021	7/31/2022	Nevada Approved
ASTM D7572-11	Cyanide Extraction Fluid from Soils and Mine Rock	8/1/2021	7/31/2022	Certified
ASTM E2242-13	MWMP Fluid (WITHOUT bottle roll option)	8/1/2021	7/31/2022	Nevada Approved
ASTM E2242-13 Appendix X1.2	MWMP Fluid (FROM bottle roll option, Non Percolating Material)	8/1/2021	7/31/2022	Nevada Approved
ASTM E2242-13 Appendix X1.3	MWMP Fluid (FROM bottle roll option, Fine Grained Material)	8/1/2021	7/31/2022	Nevada Approved
EPA 600/2-78-054, section 3.2.2_NV Modified	Paste pH	8/1/2021	7/31/2022	Certified
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (after oxidation _hydrogen peroxide)	8/1/2021	7/31/2022	Nevada Approved
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (without oxidation)	8/1/2021	7/31/2022	Nevada Approved
EPA 600/2-78-054, section 3.2.4_NV Modified	Total Sulfur (High Temp. Combustion Method)	8/1/2021	7/31/2022	Certified
EPA 600/2-78-054, section 3.2.6_NV Modified	HCl Extractable Sulfur	8/1/2021	7/31/2022	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	HNO3 Extractable Sulfur	8/1/2021	7/31/2022	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	Hot Water Extractable Sulfur	8/1/2021	7/31/2022	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	Potential Acid Generation (PAG)	8/1/2021	7/31/2022	Interim



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation


EPA Number: CO00028
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Attachment to Certificate Number: CO000282022-1

Expiration Date: 7/31/2022

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 6020	Aluminum	8/1/2021	7/31/2022	Certified
EPA 6020	Antimony	8/1/2021	7/31/2022	Certified
EPA 6020	Arsenic	8/1/2021	7/31/2022	Certified
EPA 6020	Barium	8/1/2021	7/31/2022	Certified
EPA 6020	Beryllium	8/1/2021	7/31/2022	Certified
EPA 6020	Cadmium	8/1/2021	7/31/2022	Certified
EPA 6020	Chromium	8/1/2021	7/31/2022	Certified
EPA 6020	Cobalt	8/1/2021	7/31/2022	Certified
EPA 6020	Copper	8/1/2021	7/31/2022	Certified
EPA 6020	Lead	8/1/2021	7/31/2022	Certified
EPA 6020	Manganese	8/1/2021	7/31/2022	Certified
EPA 6020	Molybdenum	8/1/2021	7/31/2022	Certified
EPA 6020	Nickel	8/1/2021	7/31/2022	Certified
EPA 6020	Selenium	8/1/2021	7/31/2022	Certified
EPA 6020	Silver	8/1/2021	7/31/2022	Certified
EPA 6020	Thallium	8/1/2021	7/31/2022	Certified
EPA 6020	Thorium	8/1/2021	7/31/2022	Certified
EPA 6020	Uranium Total Mass	8/1/2021	7/31/2022	Certified
EPA 6020	Vanadium	8/1/2021	7/31/2022	Certified
EPA 6020	Zinc	8/1/2021	7/31/2022	Certified
EPA 7196	Chromium VI	8/1/2021	7/31/2022	Certified
EPA 7470	Mercury	8/1/2021	7/31/2022	Certified
EPA 9012	Cyanide, Total	8/1/2021	7/31/2022	Certified
EPA 9070A	n-Hexane Extractable Material (O&G)	8/1/2021	7/31/2022	Certified
Discipline: Radiochemistry				
EPA 9310	Gross-alpha	8/1/2021	7/31/2022	Certified
EPA 9310	Gross-beta	8/1/2021	7/31/2022	Certified
EPA 9315	Radium Total Alphas	8/1/2021	7/31/2022	Certified
EPA 9320	Radium-228	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028** Attachment to Certificate Number: **CO000282022-1** Expiration Date: **7/31/2022**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 6010	Aluminum	8/1/2021	7/31/2022	Certified
EPA 6010	Antimony	8/1/2021	7/31/2022	Certified
EPA 6010	Arsenic	8/1/2021	7/31/2022	Certified
EPA 6010	Barium	8/1/2021	7/31/2022	Certified
EPA 6010	Beryllium	8/1/2021	7/31/2022	Certified
EPA 6010	Boron	8/1/2021	7/31/2022	Certified
EPA 6010	Cadmium	8/1/2021	7/31/2022	Certified
EPA 6010	Calcium	8/1/2021	7/31/2022	Certified
EPA 6010	Chromium	8/1/2021	7/31/2022	Certified
EPA 6010	Cobalt	8/1/2021	7/31/2022	Certified
EPA 6010	Copper	8/1/2021	7/31/2022	Certified
EPA 6010	Iron	8/1/2021	7/31/2022	Certified
EPA 6010	Lead	8/1/2021	7/31/2022	Certified
EPA 6010	Lithium	8/1/2021	7/31/2022	Certified
EPA 6010	Magnesium	8/1/2021	7/31/2022	Certified
EPA 6010	Manganese	8/1/2021	7/31/2022	Certified
EPA 6010	Molybdenum	8/1/2021	7/31/2022	Certified
EPA 6010	Nickel	8/1/2021	7/31/2022	Certified
EPA 6010	Phosphorus, total	8/1/2021	7/31/2022	Certified
EPA 6010	Potassium	8/1/2021	7/31/2022	Certified
EPA 6010	Selenium	8/1/2021	7/31/2022	Certified
EPA 6010	Silica as SiO2	8/1/2021	7/31/2022	Certified
EPA 6010	Silver	8/1/2021	7/31/2022	Certified
EPA 6010	Sodium	8/1/2021	7/31/2022	Certified
EPA 6010	Strontium	8/1/2021	7/31/2022	Certified
EPA 6010	Tin	8/1/2021	7/31/2022	Certified
EPA 6010	Titanium	8/1/2021	7/31/2022	Certified
EPA 6010	Vanadium	8/1/2021	7/31/2022	Certified
EPA 6010	Zinc	8/1/2021	7/31/2022	Certified




Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028** Attachment to Certificate Number: **CO000282022-1** Expiration Date: **7/31/2022**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 1010	Flashpoint	8/1/2021	7/31/2022	Certified
EPA 1311-Metals	TCLP extracted Metals	8/1/2021	7/31/2022	Certified
EPA 1311-SOCs	TCLP extracted SOCs	8/1/2021	7/31/2022	Certified
EPA 1311-VOCs	TCLP extracted VOCs	8/1/2021	7/31/2022	Certified
EPA 1312-Metals	SPLP extracted Metals	8/1/2021	7/31/2022	Certified
EPA 1312-SOCs	SPLP extracted SOCs	8/1/2021	7/31/2022	Certified
EPA 1312-VOCs	SPLP extracted VOCs	8/1/2021	7/31/2022	Certified
EPA 3050	Acid digest for metals	8/1/2021	7/31/2022	Certified
EPA 3051	Acid digest for metals	8/1/2021	7/31/2022	Certified
EPA 3052	Acid digest for metals	8/1/2021	7/31/2022	Certified
EPA 6010	Acid digest for metals	8/1/2021	7/31/2022	Certified
EPA 6010	Aluminum	8/1/2021	7/31/2022	Certified
EPA 6010	Antimony	8/1/2021	7/31/2022	Certified
EPA 6010	Arsenic	8/1/2021	7/31/2022	Certified
EPA 6010	Barium	8/1/2021	7/31/2022	Certified
EPA 6010	Beryllium	8/1/2021	7/31/2022	Certified
EPA 6010	Boron	8/1/2021	7/31/2022	Certified
EPA 6010	Cadmium	8/1/2021	7/31/2022	Certified
EPA 6010	Calcium	8/1/2021	7/31/2022	Certified
EPA 6010	Chromium	8/1/2021	7/31/2022	Certified
EPA 6010	Cobalt	8/1/2021	7/31/2022	Certified
EPA 6010	Copper	8/1/2021	7/31/2022	Certified
EPA 6010	Iron	8/1/2021	7/31/2022	Certified
EPA 6010	Lead	8/1/2021	7/31/2022	Certified
EPA 6010	Magnesium	8/1/2021	7/31/2022	Certified
EPA 6010	Manganese	8/1/2021	7/31/2022	Certified
EPA 6010	Molybdenum	8/1/2021	7/31/2022	Certified
EPA 6010	Nickel	8/1/2021	7/31/2022	Certified
EPA 6010	Phosphorus, total	8/1/2021	7/31/2022	Certified
EPA 6010	Potassium	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation


EPA Number: **CO00028**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Attachment to Certificate Number: **CO000282022-1**

Expiration Date: **7/31/2022**

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 6010	Selenium	8/1/2021	7/31/2022	Certified
EPA 6010	Silica as SiO2	8/1/2021	7/31/2022	Certified
EPA 6010	Silver	8/1/2021	7/31/2022	Certified
EPA 6010	Sodium	8/1/2021	7/31/2022	Certified
EPA 6010	Strontium	8/1/2021	7/31/2022	Certified
EPA 6010	Thallium	8/1/2021	7/31/2022	Certified
EPA 6010	Tin	8/1/2021	7/31/2022	Certified
EPA 6010	Titanium	8/1/2021	7/31/2022	Certified
EPA 6010	Vanadium	8/1/2021	7/31/2022	Certified
EPA 6010	Zinc	8/1/2021	7/31/2022	Certified
EPA 6020	Aluminum	8/1/2021	7/31/2022	Certified
EPA 6020	Antimony	8/1/2021	7/31/2022	Certified
EPA 6020	Arsenic	8/1/2021	7/31/2022	Certified
EPA 6020	Barium	8/1/2021	7/31/2022	Certified
EPA 6020	Beryllium	8/1/2021	7/31/2022	Certified
EPA 6020	Cadmium	8/1/2021	7/31/2022	Certified
EPA 6020	Chromium	8/1/2021	7/31/2022	Certified
EPA 6020	Cobalt	8/1/2021	7/31/2022	Certified
EPA 6020	Copper	8/1/2021	7/31/2022	Certified
EPA 6020	Lead	8/1/2021	7/31/2022	Certified
EPA 6020	Manganese	8/1/2021	7/31/2022	Certified
EPA 6020	Molybdenum	8/1/2021	7/31/2022	Certified
EPA 6020	Nickel	8/1/2021	7/31/2022	Certified
EPA 6020	Selenium	8/1/2021	7/31/2022	Certified
EPA 6020	Silver	8/1/2021	7/31/2022	Certified
EPA 6020	Thallium	8/1/2021	7/31/2022	Certified
EPA 6020	Thorium	8/1/2021	7/31/2022	Certified
EPA 6020	Uranium Total Mass	8/1/2021	7/31/2022	Certified
EPA 6020	Vanadium	8/1/2021	7/31/2022	Certified
EPA 6020	Zinc	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation


EPA Number: **CO00028**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Attachment to Certificate Number: **CO000282022-1**

Expiration Date: **7/31/2022**

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 7196	Chromium VI	8/1/2021	7/31/2022	Certified
EPA 7471	Mercury	8/1/2021	7/31/2022	Certified
EPA 7473	Mercury	8/1/2021	7/31/2022	Certified
EPA 9012	Cyanide, Total	8/1/2021	7/31/2022	Certified
EPA 9040C	Corrosivity (pH)	8/1/2021	7/31/2022	Certified
EPA 9045	Corrosivity (pH)	8/1/2021	7/31/2022	Certified
EPA 9071B	n-Hexane Extractable Material (O&G)	8/1/2021	7/31/2022	Certified
EPA 9071B	Oil & Grease	8/1/2021	7/31/2022	Certified




Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **CO00028** Attachment to Certificate Number: **CO000282022-1** Expiration Date: **7/31/2022**
 ACZ Labs, Inc.
 2773 Downhill Drive Steamboat Springs, CO 80487-

Method	Analyte	Start Date	Date Expires	Status
Matrix: SDWA (Potable Water)				
Discipline: Chemistry				
EPA 200.8	Uranium (Nat.) Activity, Calculated	8/1/2021	7/31/2022	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2021	7/31/2022	Certified
EPA 335.4	Cyanide	8/1/2021	7/31/2022	Certified
Discipline: Radiochemistry				
EPA 900.0	Gross-alpha	8/1/2021	7/31/2022	Certified
EPA 900.0	Gross-beta	8/1/2021	7/31/2022	Certified
EPA 903.0	Radium-226	8/1/2021	7/31/2022	Certified
EPA 903.1 (SC)	Radium-226	8/1/2021	7/31/2022	Certified
EPA 904.0	Radium-228	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.