

# State of Nevada

Department of Conservation and Natural Resources  
Division of Environmental Protection

*Certifies that*

**ACZ Labs, Inc.**

**2773 Downhill Drive Steamboat Springs, CO 80487-**

*Having met the requirements of the*  
**Nevada Administrative Code: NAC 445A**

*is hereby approved to perform the analyses as indicated on the most recently issued parameter list which must accompany this certificate to be valid. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.*



**Expiration Date: 7/31/2024**

Certificate Number: CO000282024-2

Jasmine Curiel, Program Manager, 08/09/2023

State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282024-2**

Expiration Date: **7/31/2024**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

**Matrix: CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D516-07	Sulfate	8/1/2023	7/31/2024	Certified
ASTM D6888-09	Cyanide, Amenable	8/1/2023	7/31/2024	Certified
EPA 1631E	Mercury	8/1/2023	7/31/2024	Certified
EPA 1664B	n-Hexane Extractable Material (O&G)	8/1/2023	7/31/2024	Certified
EPA 180.1	Turbidity	8/1/2023	7/31/2024	Certified
EPA 200.7	Aluminum	8/1/2023	7/31/2024	Certified
EPA 200.7	Antimony	8/1/2023	7/31/2024	Certified
EPA 200.7	Arsenic	8/1/2023	7/31/2024	Certified
EPA 200.7	Barium	8/1/2023	7/31/2024	Certified
EPA 200.7	Beryllium	8/1/2023	7/31/2024	Certified
EPA 200.7	Boron	8/1/2023	7/31/2024	Certified
EPA 200.7	Cadmium	8/1/2023	7/31/2024	Certified
EPA 200.7	Calcium	8/1/2023	7/31/2024	Certified
EPA 200.7	Calcium hardness as CaCO3	8/1/2023	7/31/2024	Certified
EPA 200.7	Chromium	8/1/2023	7/31/2024	Certified
EPA 200.7	Cobalt	8/1/2023	7/31/2024	Certified
EPA 200.7	Copper	8/1/2023	7/31/2024	Certified
EPA 200.7	Hardness by calculation	8/1/2023	7/31/2024	Certified
EPA 200.7	Iron	8/1/2023	7/31/2024	Certified
EPA 200.7	Lead	8/1/2023	7/31/2024	Certified
EPA 200.7	Lithium	8/1/2023	7/31/2024	Certified
EPA 200.7	Magnesium	8/1/2023	7/31/2024	Certified
EPA 200.7	Manganese	8/1/2023	7/31/2024	Certified
EPA 200.7	Molybdenum	8/1/2023	7/31/2024	Certified
EPA 200.7	Nickel	8/1/2023	7/31/2024	Certified
EPA 200.7	Phosphorus, total	8/1/2023	7/31/2024	Certified
EPA 200.7	Potassium	8/1/2023	7/31/2024	Certified
EPA 200.7	Selenium	8/1/2023	7/31/2024	Certified
EPA 200.7	Silica as SiO2	8/1/2023	7/31/2024	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282024-2**

Expiration Date: **7/31/2024**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 200.7	Silver	8/1/2023	7/31/2024	Certified
EPA 200.7	Sodium	8/1/2023	7/31/2024	Certified
EPA 200.7	Strontium	8/1/2023	7/31/2024	Certified
EPA 200.7	Tin	8/1/2023	7/31/2024	Certified
EPA 200.7	Titanium	8/1/2023	7/31/2024	Certified
EPA 200.7	Vanadium	8/1/2023	7/31/2024	Certified
EPA 200.7	Zinc	8/1/2023	7/31/2024	Certified
EPA 200.8	Aluminum	8/1/2023	7/31/2024	Certified
EPA 200.8	Antimony	8/1/2023	7/31/2024	Certified
EPA 200.8	Arsenic	8/1/2023	7/31/2024	Certified
EPA 200.8	Barium	8/1/2023	7/31/2024	Certified
EPA 200.8	Beryllium	8/1/2023	7/31/2024	Certified
EPA 200.8	Cadmium	8/1/2023	7/31/2024	Certified
EPA 200.8	Chromium	8/1/2023	7/31/2024	Certified
EPA 200.8	Cobalt	8/1/2023	7/31/2024	Certified
EPA 200.8	Copper	8/1/2023	7/31/2024	Certified
EPA 200.8	Lead	8/1/2023	7/31/2024	Certified
EPA 200.8	Manganese	8/1/2023	7/31/2024	Certified
EPA 200.8	Molybdenum	8/1/2023	7/31/2024	Certified
EPA 200.8	Nickel	8/1/2023	7/31/2024	Certified
EPA 200.8	Selenium	8/1/2023	7/31/2024	Certified
EPA 200.8	Silver	8/1/2023	7/31/2024	Certified
EPA 200.8	Thallium	8/1/2023	7/31/2024	Certified
EPA 200.8	Uranium Total Mass	8/1/2023	7/31/2024	Certified
EPA 200.8	Vanadium	8/1/2023	7/31/2024	Certified
EPA 200.8	Zinc	8/1/2023	7/31/2024	Certified
EPA 245.1	Mercury	8/1/2023	7/31/2024	Certified
EPA 300.0	Bromide	8/1/2023	7/31/2024	Certified
EPA 300.0	Chloride	8/1/2023	7/31/2024	Certified
EPA 300.0	Fluoride	8/1/2023	7/31/2024	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282024-2**

Expiration Date: **7/31/2024**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

**Matrix: CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 300.0	Sulfate	8/1/2023	7/31/2024	Certified
EPA 335.4	Cyanide, Total	8/1/2023	7/31/2024	Certified
EPA 350.1	Ammonia as N	8/1/2023	7/31/2024	Certified
EPA 351.2	Kjeldahl nitrogen - total	8/1/2023	7/31/2024	Certified
EPA 353.2	Nitrate-N (by calculation)	8/1/2023	7/31/2024	Certified
EPA 353.2	Nitrate-nitrite	8/1/2023	7/31/2024	Certified
EPA 353.2	Nitrite as N	8/1/2023	7/31/2024	Certified
EPA 365.1	Orthophosphate as P	8/1/2023	7/31/2024	Certified
EPA 365.1	Phosphorus, total	8/1/2023	7/31/2024	Certified
EPA 410.4	Chemical oxygen demand	8/1/2023	7/31/2024	Certified
EPA 420.4	Total phenolics	8/1/2023	7/31/2024	Certified
OIA 1677	Cyanide, Free	8/1/2023	7/31/2024	Certified
SM 2310 B	Acidity, as CaCO <sub>3</sub>	8/1/2023	7/31/2024	Certified
SM 2320 B	Alkalinity as CaCO <sub>3</sub>	8/1/2023	7/31/2024	Certified
SM 2340 B	Hardness by calculation	8/1/2023	7/31/2024	Certified
SM 2510 B	Conductivity	8/1/2023	7/31/2024	Certified
SM 2540 B	Residue-total, dissolved and suspended	8/1/2023	7/31/2024	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2023	7/31/2024	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2023	7/31/2024	Certified
SM 2540 F	Residue-settleable	8/1/2023	7/31/2024	Certified
SM 3114 B	Selenium	8/1/2023	7/31/2024	Certified
SM 3500-Cr B	Chromium VI	8/1/2023	7/31/2024	Certified
SM 4500-Cl <sup>-</sup> E	Chloride	8/1/2023	7/31/2024	Certified
SM 4500-CN <sup>-</sup> C,E	Cyanide, Total	8/1/2023	7/31/2024	Certified
SM 4500-CN <sup>-</sup> I,E	Cyanide, WAD	8/1/2023	7/31/2024	Certified
SM 4500-F <sup>-</sup> C	Fluoride	8/1/2023	7/31/2024	Certified
SM 4500-H+ B	pH	8/1/2023	7/31/2024	Certified
SM 4500-S <sub>2</sub> <sup>-</sup> D	Sulfide	8/1/2023	7/31/2024	Certified
SM 5210 B	Biochemical oxygen demand	8/1/2023	7/31/2024	Certified
SM 5210 B	Carbonaceous BOD, CBOD	8/1/2023	7/31/2024	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282024-2**

Expiration Date: **7/31/2024**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
SM 5310 B	Total Organic Carbon	8/1/2023	7/31/2024	Certified
Discipline: Radiochemistry				
EPA 900.0 Modified	Gross-alpha	8/1/2023	7/31/2024	Certified
EPA 900.0 Modified	Gross-beta	8/1/2023	7/31/2024	Certified
EPA 903.0 Modified	Radium Total Alphas	8/1/2023	7/31/2024	Certified
EPA 903.0 Modified	Radium-226	8/1/2023	7/31/2024	Certified
EPA 903.1 Modified	Radium-226	8/1/2023	7/31/2024	Certified
EPA 904.0 Modified	Radium-228	8/1/2023	7/31/2024	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**



State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282024-2**


Expiration Date: **7/31/2024**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **Mining (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D1498	Redox Potential (ORP)	8/1/2023	7/31/2024	Certified
EPA 200.7 minus SM 3500-Fe B (4c)	Iron-(III) (Ferric Iron)	8/1/2023	7/31/2024	Certified
SM 3500-Fe B 4 (c)	Iron-(II) (Ferrous Iron)	8/1/2023	7/31/2024	Certified



**Disclaimer:** A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282024-2**

Expiration Date: **7/31/2024**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

**Matrix: Mining (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D5744-13	Weathering Products of Solid Materials	8/1/2023	7/31/2024	Certified
ASTM D7572-11	Cyanide Extraction Fluid from Soils and Mine Rock	8/1/2023	7/31/2024	Certified
ASTM E2242-13	MWMP Fluid (WITHOUT bottle roll option)	8/1/2023	7/31/2024	Certified
ASTM E2242-13 Appendix X1.2	MWMP Fluid (FROM bottle roll option_Non Percolating Material)	8/1/2023	7/31/2024	Certified
ASTM E2242-13 Appendix X1.3	MWMP Fluid (FROM bottle roll option_Fine Grained Material)	8/1/2023	7/31/2024	Certified
EPA 600/2-78-054, section 3.2.2_NV Modified	Paste pH	8/1/2023	7/31/2024	Certified
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (after oxidation_hydrogen peroxide)	8/1/2023	7/31/2024	Certified
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (without oxidation)	8/1/2023	7/31/2024	Certified
EPA 600/2-78-054, section 3.2.4_NV Modified	Total Sulfur (High Temp. Combustion Method)	8/1/2023	7/31/2024	Certified
EPA 600/2-78-054, section 3.2.6_NV Modified	HCl Extractable Sulfur	8/1/2023	7/31/2024	Certified
EPA 600/2-78-054, section 3.2.6_NV Modified	HNO3 Extractable Sulfur	8/1/2023	7/31/2024	Certified
EPA 600/2-78-054, section 3.2.6_NV Modified	Hot Water Extractable Sulfur	8/1/2023	7/31/2024	Certified
Nevada Modified Net Acid Generation (NV-NAG)	Potential Acid Generation (PAG)	8/1/2023	7/31/2024	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282024-2**

Expiration Date: **7/31/2024**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 6010	Aluminum	8/1/2023	7/31/2024	Certified
EPA 6010	Antimony	8/1/2023	7/31/2024	Certified
EPA 6010	Arsenic	8/1/2023	7/31/2024	Certified
EPA 6010	Barium	8/1/2023	7/31/2024	Certified
EPA 6010	Beryllium	8/1/2023	7/31/2024	Certified
EPA 6010	Boron	8/1/2023	7/31/2024	Certified
EPA 6010	Cadmium	8/1/2023	7/31/2024	Certified
EPA 6010	Calcium	8/1/2023	7/31/2024	Certified
EPA 6010	Chromium	8/1/2023	7/31/2024	Certified
EPA 6010	Cobalt	8/1/2023	7/31/2024	Certified
EPA 6010	Copper	8/1/2023	7/31/2024	Certified
EPA 6010	Iron	8/1/2023	7/31/2024	Certified
EPA 6010	Lead	8/1/2023	7/31/2024	Certified
EPA 6010	Lithium	8/1/2023	7/31/2024	Certified
EPA 6010	Magnesium	8/1/2023	7/31/2024	Certified
EPA 6010	Manganese	8/1/2023	7/31/2024	Certified
EPA 6010	Molybdenum	8/1/2023	7/31/2024	Certified
EPA 6010	Nickel	8/1/2023	7/31/2024	Certified
EPA 6010	Phosphorus, total	8/1/2023	7/31/2024	Certified
EPA 6010	Potassium	8/1/2023	7/31/2024	Certified
EPA 6010	Selenium	8/1/2023	7/31/2024	Certified
EPA 6010	Silica as SiO2	8/1/2023	7/31/2024	Certified
EPA 6010	Silver	8/1/2023	7/31/2024	Certified
EPA 6010	Sodium	8/1/2023	7/31/2024	Certified
EPA 6010	Strontium	8/1/2023	7/31/2024	Certified
EPA 6010	Tin	8/1/2023	7/31/2024	Certified
EPA 6010	Titanium	8/1/2023	7/31/2024	Certified
EPA 6010	Vanadium	8/1/2023	7/31/2024	Certified
EPA 6010	Zinc	8/1/2023	7/31/2024	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**



State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282024-2**

Expiration Date: **7/31/2024**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 6020	Aluminum	8/1/2023	7/31/2024	Certified
EPA 6020	Antimony	8/1/2023	7/31/2024	Certified
EPA 6020	Arsenic	8/1/2023	7/31/2024	Certified
EPA 6020	Barium	8/1/2023	7/31/2024	Certified
EPA 6020	Beryllium	8/1/2023	7/31/2024	Certified
EPA 6020	Cadmium	8/1/2023	7/31/2024	Certified
EPA 6020	Chromium	8/1/2023	7/31/2024	Certified
EPA 6020	Cobalt	8/1/2023	7/31/2024	Certified
EPA 6020	Copper	8/1/2023	7/31/2024	Certified
EPA 6020	Lead	8/1/2023	7/31/2024	Certified
EPA 6020	Manganese	8/1/2023	7/31/2024	Certified
EPA 6020	Molybdenum	8/1/2023	7/31/2024	Certified
EPA 6020	Nickel	8/1/2023	7/31/2024	Certified
EPA 6020	Selenium	8/1/2023	7/31/2024	Certified
EPA 6020	Silver	8/1/2023	7/31/2024	Certified
EPA 6020	Thallium	8/1/2023	7/31/2024	Certified
EPA 6020	Thorium	8/1/2023	7/31/2024	Certified
EPA 6020	Uranium Total Mass	8/1/2023	7/31/2024	Certified
EPA 6020	Vanadium	8/1/2023	7/31/2024	Certified
EPA 6020	Zinc	8/1/2023	7/31/2024	Certified
EPA 7196	Chromium VI	8/1/2023	7/31/2024	Certified
EPA 7470	Mercury	8/1/2023	7/31/2024	Certified
EPA 9012	Cyanide, Total	8/1/2023	7/31/2024	Certified
EPA 9070A	n-Hexane Extractable Material (O&G)	8/1/2023	7/31/2024	Certified
<b>Discipline: Radiochemistry</b>				
EPA 9310	Gross-alpha	8/1/2023	7/31/2024	Certified
EPA 9310	Gross-beta	8/1/2023	7/31/2024	Certified
EPA 9315	Radium Total Alphas	8/1/2023	7/31/2024	Certified
EPA 9320	Radium-228	8/1/2023	7/31/2024	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282024-2**

Expiration Date: **7/31/2024**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

**Matrix: RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 1010	Flashpoint	8/1/2023	7/31/2024	Certified
EPA 1311-Metals	TCLP extracted Metals	8/1/2023	7/31/2024	Certified
EPA 1311-SOCs	TCLP extracted SOC's	8/1/2023	7/31/2024	Certified
EPA 1311-VOCs	TCLP extracted VOC's	8/1/2023	7/31/2024	Certified
EPA 1312-Metals	SPLP extracted Metals	8/1/2023	7/31/2024	Certified
EPA 1312-SOCs	SPLP extracted SOC's	8/1/2023	7/31/2024	Certified
EPA 1312-VOCs	SPLP extracted VOC's	8/1/2023	7/31/2024	Certified
EPA 3050	Acid digest for metals	8/1/2023	7/31/2024	Certified
EPA 3051	Acid digest for metals	8/1/2023	7/31/2024	Certified
EPA 3052	Acid digest for metals	8/1/2023	7/31/2024	Certified
EPA 6010	Aluminum	8/1/2023	7/31/2024	Certified
EPA 6010	Antimony	8/1/2023	7/31/2024	Certified
EPA 6010	Arsenic	8/1/2023	7/31/2024	Certified
EPA 6010	Barium	8/1/2023	7/31/2024	Certified
EPA 6010	Beryllium	8/1/2023	7/31/2024	Certified
EPA 6010	Boron	8/1/2023	7/31/2024	Certified
EPA 6010	Cadmium	8/1/2023	7/31/2024	Certified
EPA 6010	Calcium	8/1/2023	7/31/2024	Certified
EPA 6010	Chromium	8/1/2023	7/31/2024	Certified
EPA 6010	Cobalt	8/1/2023	7/31/2024	Certified
EPA 6010	Copper	8/1/2023	7/31/2024	Certified
EPA 6010	Iron	8/1/2023	7/31/2024	Certified
EPA 6010	Lead	8/1/2023	7/31/2024	Certified
EPA 6010	Magnesium	8/1/2023	7/31/2024	Certified
EPA 6010	Manganese	8/1/2023	7/31/2024	Certified
EPA 6010	Molybdenum	8/1/2023	7/31/2024	Certified
EPA 6010	Nickel	8/1/2023	7/31/2024	Certified
EPA 6010	Phosphorus, total	8/1/2023	7/31/2024	Certified
EPA 6010	Potassium	8/1/2023	7/31/2024	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **CO00028**

Attachment to Certificate Number: **CO000282024-2**

Expiration Date: **7/31/2024**

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: **RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 6010	Selenium	8/1/2023	7/31/2024	Certified
EPA 6010	Silica as SiO2	8/1/2023	7/31/2024	Certified
EPA 6010	Silver	8/1/2023	7/31/2024	Certified
EPA 6010	Sodium	8/1/2023	7/31/2024	Certified
EPA 6010	Strontium	8/1/2023	7/31/2024	Certified
EPA 6010	Thallium	8/1/2023	7/31/2024	Certified
EPA 6010	Tin	8/1/2023	7/31/2024	Certified
EPA 6010	Titanium	8/1/2023	7/31/2024	Certified
EPA 6010	Vanadium	8/1/2023	7/31/2024	Certified
EPA 6010	Zinc	8/1/2023	7/31/2024	Certified
EPA 6020	Aluminum	8/1/2023	7/31/2024	Certified
EPA 6020	Antimony	8/1/2023	7/31/2024	Certified
EPA 6020	Arsenic	8/1/2023	7/31/2024	Certified
EPA 6020	Barium	8/1/2023	7/31/2024	Certified
EPA 6020	Beryllium	8/1/2023	7/31/2024	Certified
EPA 6020	Cadmium	8/1/2023	7/31/2024	Certified
EPA 6020	Chromium	8/1/2023	7/31/2024	Certified
EPA 6020	Cobalt	8/1/2023	7/31/2024	Certified
EPA 6020	Copper	8/1/2023	7/31/2024	Certified
EPA 6020	Lead	8/1/2023	7/31/2024	Certified
EPA 6020	Manganese	8/1/2023	7/31/2024	Certified
EPA 6020	Molybdenum	8/1/2023	7/31/2024	Certified
EPA 6020	Nickel	8/1/2023	7/31/2024	Certified
EPA 6020	Selenium	8/1/2023	7/31/2024	Certified
EPA 6020	Silver	8/1/2023	7/31/2024	Certified
EPA 6020	Thallium	8/1/2023	7/31/2024	Certified
EPA 6020	Thorium	8/1/2023	7/31/2024	Certified
EPA 6020	Uranium Total Mass	8/1/2023	7/31/2024	Certified
EPA 6020	Vanadium	8/1/2023	7/31/2024	Certified
EPA 6020	Zinc	8/1/2023	7/31/2024	Certified

**Disclaimer:** A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation

EPA Number: CO00028

Attachment to Certificate Number: CO000282024-2


Expiration Date: 7/31/2024

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 7196	Chromium VI	8/1/2023	7/31/2024	Certified
EPA 7471	Mercury	8/1/2023	7/31/2024	Certified
EPA 7473	Mercury	8/1/2023	7/31/2024	Certified
EPA 9012	Cyanide, Total	8/1/2023	7/31/2024	Certified
EPA 9040C	Corrosivity (pH)	8/1/2023	7/31/2024	Certified
EPA 9045	Corrosivity (pH)	8/1/2023	7/31/2024	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: CO00028

Attachment to Certificate Number: CO000282024-2

Expiration Date: 7/31/2024

ACZ Labs, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487-

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.8	Uranium (Nat.) Activity, Calculated	8/1/2023	7/31/2024	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2023	7/31/2024	Certified
EPA 335.4	Cyanide	8/1/2023	7/31/2024	Certified
Discipline: Radiochemistry				
EPA 900.0	Gross-alpha	8/1/2023	7/31/2024	Certified
EPA 900.0	Gross-beta	8/1/2023	7/31/2024	Certified
EPA 903.0	Radium-226	8/1/2023	7/31/2024	Certified
EPA 903.1 (SC)	Radium-226	8/1/2023	7/31/2024	Certified
EPA 904.0	Radium-228	8/1/2023	7/31/2024	Certified

**Disclaimer:** A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.